National Climatic Data Center DATA DOCUMENTATION

FOR

DATA SET 3641 (DSI-3641)

Global Tropical Cyclones - ISCCP B1
Satellite Observations

August 31, 2006

National Climatic Data Center 151 Patton Ave. Asheville, NC 28801-5001 USA

Table of Contents

	Topic Num	age ber
1.	Abstract	1
2.	Element Names and Definitions	1
2.1	File Storage Format	1
2.2	File naming convention:	1
2.3	Global Attributes:	3
2.4	Variables:	3
3.	Start Date	4
4.	Stop Date	6
5.	Coverage	6
6.	How to Order Data	6
7.	Archiving Data Center	7
8.	Technical Contact	7
9.	Known Uncorrected Problems	7
10.	Quality Statement	7
11.	Essential Companion Datasets	8
12.	References	8

1. Abstract

The "Global Tropical Cyclone ISCCP B1 Satellite Observations" (TC-B1) data consist of raw satellite observations derived from the ISCCP B1 data centered on historical tropical cyclones (TC). The data derive from the global constellation of geostationary satellites (GOES, GMS and Meteosat series) spanning 1983 through the present. The data are available at 3-hour intervals and are gridded to roughly 8km resolution. The data include infrared window, visible and other channels available from the satellite instruments. Hurricane database (HURDAT) and "best track" information (from the JTWC) were temporally-interpolated to match the satellite data resolution. The satellite data were then gridded to 8km, with grid centers fixed on the tropical cyclone center of circulation. Data include hurricanes from the North Atlantic, Pacific and Indian Ocean Basins. Data are provided in a convenient NetCDF format which is self-documenting and follows standard storage and meta-data conventions. This data set will be updated on an as needed basis.

2. Element Names and Definitions

2.1 File Storage Format and Conventions

File storage format:
NetCDF version 3

File storage URL:

http://www.unidata.ucar.edu/software/netcdf/

File storage convention:
COARDS (for TC-B1 data, version 1)

File storage convention URL:

http://ferret.wrc.noaa.gov/noaa_coop/coop_cdf_profile.html

File metadata convention:

http://www.unidata.ucar.edu/software/netcdf-java/formats/DataDiscoveryAttConvention.html

2.2 File naming convention:

(Note: All times referenced in the naming convention are to the Universal Time Code, UTC)

YyysBbNnn.Yyyn.Mm.Dd.Hhmm.Vv.Sat-Nn.Www.isccp-blu.ver.nc Where:

```
Yyys = The year the tropical cyclone began (this may be
          different than Yyyn if the cyclone began near the end
          of the year).
     Вb
          = Basin ID:
               EP = Eastern Pacific
               IO = Indian Ocean
               NA = North Atlantic
               SH = Southern hemisphere
               WP = Western Pacific
     Nnn = Storm ID. If a storm name is available, then this is
          the first 3 letters of the storm name. Otherwise, this
          is a zero-filled integer.
     Yyyn = Year of acquisition of the satellite image
          = Integer representing the month of the image
          acquisition 01=January, 02=February, ..., 12=December
          = Day of month of the image acquisition
     Hhmm = Time of the satellite acquisition where Hhmm is Hh:mm
          UTC. The time represents the time the image acquisition
          began. Since images take at most 28 minutes to acquire,
          that represents the largest difference in time between
          the image and this subset of the image.
          = View zenith angle (degrees) from the satellite to the
     \nabla \nabla
          tropical cyclone center of circulation.
     Sat-Nn = ISCCP Satellite ID where:
               GOE = GOES (U.S.A.)
               MET = Meteosat (Europe)
               GMS = GMS (Japanese)
               MTS = MTSAT (Japanese)
          = Interpolated central wind speed. This is interpolated
          from the 6-hourly BEST track wind speed.
     isccp-blutc = file suffix that identifies the data file and
          the file format
          = file version. Initially, only version 1 (v01) exists,
          but future versions are forthcoming.
          = file suffix identifying the file as a NetCDF file.
Example:
     1992SH027.1993.01.01.0300.26.GMS-4.070.isccp-blutc.v01.nc
Means:
     Year storm began
                                    = 1992
     Basin
                                    = Southern Hemisphere (SH)
     Storm ID
                                   = 027
                                   = 1993
     Image obtained - Year
                                   = 01 (January)
     Image obtained - Month
     Image obtained - Day of Month = 01
     Image obtained - Time
                                   = 0300 = 03:00 \text{ UTC}
     Satellite view zenith angle = 26 deg
```

= GMS-4

Satellite

Tropical Cyclone Wind Speed = 70 [UNITS??]
Dataset id = isccp-blutc

Version = 1

File type = nc (NetCDF file)

2.3 Global Attributes:

Note: Information on the Global Attributes can be obtained using the netCDF utility: ncdump

The bulk of the global attributes derive from the "Unidata Dataset Discovery v1.0" which is described at:

http://www.unidata.ucar.edu/software/netcdf-java/formats/DataDiscoveryAttConvention.html

or the COARDS convention described at:

http://ferret.wrc.noaa.gov/noaa_coop/coop_cdf_profile.html

A description of the attributes not listed in these conventions follows:

Attribute: Cyclone_ID

Description: The tropical cyclone ID. See the description of

the format above (in the file naming convention).

Attribute: Cyclone_Name

Description: The tropical cyclone name (if available) as

provided in the interpolated best track/HURDAT

data from Jim Kossin.

Attribute: base date

Description: This is the year/month/day_of_month of the

satellite image.

Attribute: **Projection**

Description: Lists the projection "Mercator" of the gridded

data.

Attribute: Satellite Name

Description: The name of the satellite making the observation.

Attribute: Sensor_Name

Description: Name of the satellite instrument making the

observation.

Attribute: B1 file

Description: File name of the ISCCP B1 file in the NCDC archive

from which this data was derived.

Attribute: cvs_info_b12b1u

Description: CVS information regarding the routine used to

convert the ISCCP B1 file to a uniform format

(ISCCP B1U).

Attribute: cvs_info_b1read

Description: CVS information regarding the routine used to read

the generic ISCCP B1 data.

Attribute: cvs_info_SpcSat

Description: CVS information regarding the specific routine

used to read the data (which is specific by

processing center and satellite).

Attribute: cvs_info_b12nc

Description: CVS information regarding the routine used to

extract the tropical cyclone grids from the ISCCP

B1 data

Attribute: cvs_info_nc2v01

Description: CVS information regarding the routine used to

modify the NetCDF data to include the required attributes. This attribute will not appear in version 2 data as it will be part of the bl2nc

algorithm.

2.4 Variables:

Note: Information on the variables can be obtained using he netCDF utility: ncdump

Again, COARDS conventions define the add_offset, scale_factor, long_name and units attributes. We only describe that which can not be obtained from *ncdump* and an understanding of the COARDS convention.

Element Name: lat

Definition: Latitude dimension vector of the corresponding

satellite observation grids.

Element Name: lon

Definition: Longitude dimension vector of the corresponding

satellite observation grids.

Element Name: VZA

Definition: Satellite view zenith angle.

Element Name: IRWIN

Definition: Infrared window channel brightness temperature

observation. The data is provided in scaled

termperature. The original B1 data were calibrated using the ISCCP absolute calibration (version was

that as of May 2006). The data were further

calibrated using coincident HIRS observations and provided corrections to the ISCCP calibration. The application of the correction is described below.

Attributes

Calibration_Correction_Equation: This is the equation on how the calibration correction should be applied.

Calibration_Correction_Scale: The scale used in the calibration correction.

Calibration_Correction_Offset: The offset used in the calibration correction.

Calibration_Correction_AppendDate: The date the calibration correction was appended to the file.

Calibration_Correction_TableVersion: The filename and version of the calibration correction from which the correction derives.

Depending on the availability of channels the following channels are optional for all data sets.

Element Name: VSCHN (optional)

Definition: Visible channel observations.

Element Name: IRWVP (optional)

Definition: Infrared window channel observations.

Element Name: IRSPL (optional)

Definition: Split window channel observations.

Element Name: IRNIR (optional)

Definition: Near-infrared channel observations.

The following variables will likely be moved to global attributes in future releases of the data.

Element Name: NomDate

Definition: Nominal starting date (UTC) of the satellite

image. This is generally of the form YYJJJ where YY is the last two digits of the year and JJJ is the day of the year. Note: It may also be of a format which includes a 4-digit year. That is,

YYYYJJJ.

Element Name: NomTime

Definition: The nominal starting time (UTC) of the satellite

image, of the format HHMMSS

Element Name: sss

Definition: Sensor ID. The missing value is -9999. A table of

the McIDAS sensor IDs is available at:

http://www.ssec.wisc.edu/mcidas/doc/misc_doc/area2

.html (sensor source numbers)

Element Name: nchan

Definition: Dimension describing the number of available

channels from the instrument.

Element Name: SubSatLat

Definition: The satellite nadir point latitude at the time of

the image observation.

Element Name: SubSatLon

Definition: The satellite nadir point longitude at the time of

the image observation.

3. Start Date

19830701

4. Stop Date

Ongoing

5. Coverage

a. Southernmost Latitude: 90S

b. Northernmost Latitude: 90N

c. Westernmost Longitude: 180W

d. Easternmost Longitude: 180E

6. How to Order Data

Ask NCDC's Climate Services about costs of obtaining this dataset.

Phone 828-271-4800 Fax 828-271-4876 e-mail NCDC.Orders@noaa.gov

7. Archiving Data Center

a. Name: National Climatic Data Center/NCDC

Address: Federal Building 151 Patton Ave.

Asheville, NC 28801-5001

Voice: 828-271-4800

Fax: Email:

8. Technical Contact

a. Name: Ken Knapp

Address: National Climatic Data Center

151 Patton Ave.

Asheville, NC 2801-5001

Voice: 828-271-4339

Fax: 828-

Email: Ken.Knapp@noaa.gov

b. Name: RSAD Chief

Address: National Climatic Data Center

151 Patton Ave.

Asheville, NC 2801-5001

Voice: 828-271-4339

Fax: 828-

Email:

9. Known Uncorrected Problems

The version 1 data are not fully CF compliant. However, the data are COARDS compliant and are thus usable with grads-dods and other data processing routines which make use of the COARDS convention. Future versions of the data will be fully CF compliant.

10. Quality Statement

Disclaimer: While every effort has been made to ensure that these data are accurate and reliable within the limits of the current state of the art, NOAA cannot assume liability for any damages caused by any errors or omissions in the data, nor as a result of the failure of the data to function on a particular system. NOAA makes no warranty, expressed or implied, nor does the fact of distribution constitute such a warranty.

This dataset has undergone extensive quality checks on all parameters, including range checks and elimination of reporting sites with extensive missing data.

11. Essential Companion Datasets

None.

12. References